

# Group Interaction Parameters and Contributions

Editor for the Parameters of Group Contribution Methods



DDBST - Dortmund Data Bank Software & Separation Technology GmbH

Marie-Curie-Straße 10

D-26129 Oldenburg

Tel.: +49 441 36 18 19 0

[support@ddbst.com](mailto:support@ddbst.com)

[www.ddbst.com](http://www.ddbst.com)

---

1	Introduction.....	3
2	Overview.....	3
3	The Group-Group Interaction Parameters Triangle.....	3
3.1	Settings .....	4
4	Editing Interaction Parameters .....	4
4.1	Removing Interaction Parameters .....	4
5	Group Specific Data .....	5
5.1	List of Main and Sub Groups .....	5
5.2	Relations between Sub and Main Groups .....	5
6	File Menu.....	6
6.1	Standard Files.....	6
6.2	Opening Other Files .....	6
6.3	Saving Parameter Files.....	6
6.4	Printing.....	7
6.5	Compare .....	7
6.6	Export.....	7
6.7	Import .....	8
7	Edit Menu .....	9
7.1	Copy triangle.....	9
7.2	Group Assignments .....	9

# 1 Introduction

The program described in this tutorial displays and modifies the group-group interaction parameters and the group-specific parameters for the group contribution methods implemented in the DDB software package.

## 2 Overview

The interaction parameters are displayed as triangle and the number of interaction parameters for every pair of groups is encoded by colors.

The screenshot shows the DDB software interface. Key components include:

- Menu Bar:** File, Edit.
- List of Models:** A grid of model names like UNIFAC (LLE), GTASQUAC, UNIFAC (POw), VTPR, PSRK LIFAC 2003, PSRK UNIFAC 2012, UNIFAC-VISCO, LIFAC, VTPR LIFAC, NIST-mod. UNIFAC, UNIFAC (POw) II, UNIFAC-Kikic, UNIFAC-MCM, PSRK-MCM, TUC 23 - UNIFAC, TUC 23 - Mod. UNIFAC (Do.), TUC 23 - Mod. UNIFAC COSMO, TUC 23 - PSRK UNIFAC, TUC 23 - VTPR, TUC 24 - UNIFAC, TUC 24 - Mod. UNIFAC (Do.), TUC 24 - Mod. UNIFAC COSMO, TUC 24 - PSRK UNIFAC, TUC 24 - VTPR.
- Settings:** Size (10), Gap Width (1), Colors (No Parameters, 2 Parameters, 4 Parameters, 6 Parameters, 8 Parameters, 10 Parameters), Black Border checkboxes.
- Group Assignment:** Main Groups, Subgroups.
- Group-Group Interaction Parameters:** A triangle matrix of colored cells representing interaction parameters between groups.
- Editor for Interaction Parameters:** A table showing parameters for a pair of groups (CH2 and C=C):
 

IP	1-2	189.66	-0.27232	0
IP	2-1	-95.418	0.061708	0
- Editor for Group Specific Data:** A table listing group names and their subgroups:
 

No.	Main group name	Subgroups
1	CH2	[1] CH3 [2]
2	C=C	[5] C
3	ACH	[9] A
4	ACCH2	[11]
5	OH	[14]
6	CH3OH	[16] H2O
7	H2O	[17] ACOH
8	ACOH	[18] CH3CO [19]
9	CH2CO	[20] CHO
10	CHO	[21] CH3COO [22]
11	CCOO	[23] HCOO
12	HCOO	[24] CH3O [25]
13	CH2O	[28] CH3NH2 [29]
14	CH2NH2	[31] CH3NH [32]
15	CH2NH	[34] CH3N [35]
16	(C)3N	[36] ACNH2 [38]
17	ACNH2	[37] AC2H2N [39]
18	PYRIDINE	[40] CH3CN [41]
19	CH2CN	

## 3 The Group-Group Interaction Parameters Triangle

The triangle content is displayed in a hint window which follows the mouse cursor.

The hint window displays the following information:


- Maingroups:** [3] ACH and [8] ACOH
- Subgroups:** [9:ACH 10:AC] and [17:ACOH]
- 4 Parameters:**

IP12=	+1274.0237	-1.59130
IP21=	1302.8209	3.21410
- Click to Edit**

This hint window displays the interaction parameters of the group pair just below the mouse cursor. It displays the

- main group names,
- the list of sub groups,
- the number of available parameters (interaction parameter can be temperature-dependent like in mod. UNIFAC, or temperature-independent like in original UNIFAC) and
- The interaction parameters ( $a_{ij}$  and  $a_{ji}$ )


### 3.1 Settings



It is possible to

- modify the size of the boxes
- modify the gap width
- change the color of the boxes
- display or hide borders

## 4 Editing Interaction Parameters



The grid below the triangle is used for editing the interaction parameters. This grid is filled when an element in the triangle is left-clicked. The “Accept” button allows putting the modified interaction parameters back in the grid but doesn't save automatically. The “Set All Parameter” initializes the entire triangle with the entered values.

### 4.1 Removing Interaction Parameters

IP 37-38	9000	0	0
IP 38-37	9000	0	0

The “Remove” button can be used to delete all interaction parameters for a specified group pair. Removing the parameters creates the entries  $a_{nm} = a_{mn} = 9000$  because zeros can be valid interaction parameters.

## 5 Group Specific Data

Group Assignment			Main Groups	Subgroups
Subgroup->Main Group		Main Group->Subgroup		
No.	Subgroup name	Main groups		
1	CH3	[1]	CH2	
2	CH2	[1]	CH2	
3	CH	[1]	CH2	
4	C	[1]	CH2	
5	CH2=CH	[2]	C=C	
6	CH=CH	[2]	C=C	
7	CH2=C	[2]	C=C	
8	CH=C	[2]	C=C	
9	ACH	[3]	ACH	
10	AC	[3]	ACH	

All the group contribution methods in the DDB software package differentiate between main and sub groups. The interaction parameters shown in the triangle are always parameters of main group pairs.

### 5.1 List of Main and Sub Groups

Group Assignment		Main Groups	Subgroups
No.	Main group name		
1	CH2		
2	C=C		
3	ACH		
4	ACCH2		
5	OH		
6	CH3OH		
7	H2O		
8	ACOH		
9	CH2CO		
10	CHO		
11	CCOO		
12	HCOO		

Figure 1: List of main groups

Group Assignment		Main Groups	Subgroups
No. i	Subgroup name	Ri	Qi
1	CH3	0.6325	1.0608
2	CH2	0.6325	0.7081
3	CH	0.6325	0.3554
4	C	0.6325	0.0000
5	CH2=CH	1.2832	1.6016
6	CH=CH	1.2832	1.2489
7	CH2=C	1.2832	1.2489
8	CH=C	1.2832	0.8962
9	ACH	0.3763	0.4321
10	AC	0.3763	0.2113
11	ACCH3	0.9100	0.9490
12	ACCH2	0.9100	0.7668

Figure 2: List of sub groups

The main groups are simply a list of groups where a short name of the group can be edited.

The sub group is also a list of groups with some specific name but in this grid sub group (and model) specific data can be entered and modified.

### 5.2 Relations between Sub and Main Groups

The sub groups are related to main groups but describe the group with more details. A main group is normally split into several different sub groups. The relation between sub and main groups can be entered or modified in the “Subgroup -> Main group” table:

Group Assignment		
Main Groups		Subgroups
Subgroup->Main Group		Main Group->Subgroup
No.	Subgroup name	Main groups
1	CH3	[1] CH2
2	CH2	[1] CH2
3	CH	[1] CH2
4	C	[1] CH2
5	CH2=CH	[2] C=C
6	CH=CH	[2] C=C

**Figure 3:** Sub to main group assignment

The second list (“Main group -> Subgroup”) is the reverse display but this table can't be edited.

Group Assignment		
Main Groups		Subgroups
Subgroup->Main Group		Main Group->Subgroup
No.	Main group name	Subgroups
1	CH2	[1] CH3 [2] CH2 [3] CH [4] C
2	C=C	[5] CH2=CH [6] CH=CH [7] CH2=C [8] CH=C [70] C=C
3	ACH	[9] ACH [10] AC
4	ACCH2	[11] ACCH3 [12] ACCH2 [13] ACCH
5	OH	[14] OH (P) [81] OH (S) [82] OH (T)

**Figure 4:** Main to subgroup assignment

## 6 File Menu

### 6.1 Standard Files

The parameter files are all located in the public DDB folder and are opened automatically and displayed as pages above the triangle.

### 6.2 Opening Other Files


Parameter files from other locations than the DDB folder or other parameter files can be opened by the *Open* button.

The loaded files are appended to the standard pages.

### 6.3 Saving Parameter Files

The function “Save” stores a modified non-standard parameter file at the original location whereas the “Save As” opens a save dialog where a different folder and filename can be selected.

## 6.4 Printing



The triangle plus a list of main groups is printed. For a complete list of parameters – which can be printed – please take a look at the export functions.

## 6.5 Compare

This function allows identifying

- newly added interaction parameters
- modified interaction parameters
- deleted interaction parameters





Figure 5: Comparison Dialog

Figure 6: Comparison Result

This function creates a triangle where only the new, the modified, or the deleted parameters are shown.

## 6.6 Export

Three different formats are supported:

### Text Export

The text export displays a text triangle showing the availability of interaction parameters. The list of the interaction parameters follows. The next part is the main to sub group relation list. The last block is the list of sub groups with the sub group specific parameters.

The second text output (missing parameter = 0.) differs only slightly in the interaction parameter table by filling the gaps with zeros.

### Compact Parameter Lists Export

This export is a compact text output omitting the 'graphical' triangle output. Another difference is that the sub group to main group assignment is integrated in the sub group parameters list.

## 6.7 Import

Interaction parameters can be imported into a user-defined matrix from simple Excel files or files with comma-separated values (".csv" format). The tables must contain eight columns with

- both main group numbers
- $a_{12}$ ,  $b_{12}$ ,  $c_{12}$
- $a_{21}$ ,  $b_{21}$ ,  $c_{21}$

	A	B	C	D	E	F	G	H
1	<b>Group1</b>	<b>Group2</b>	<b>a</b>	<b>b</b>	<b>c</b>	<b>a</b>	<b>b</b>	<b>c</b>
2	17	22	37.33	0.13		909.96	-2.41	
3	15	22	22.98			-18.48		
4	14	22	-134.69			78.58		
5	15	21	89.88	-1.29		634.55	0.57	

The title line can be omitted.



## 7 Edit Menu

### 7.1 Copy triangle

The program has the possibility to copy the triangle as metafile or bitmap to the clipboard

### 7.2 Group Assignments

With the group editor, the user can edit the group list of private components for several group contribution methods.

This dialog displays the name, formula, CAS-RN and the DDB number of the currently edited component.

The group assignment is displayed in a read-only field because editing the list of groups is performed in the grid below that display field.

The grid allows entering the group count directly in the left column. Adding subgroups is done by dragging a line from the group list to editing grid. Lines are removed by double-clicking.